



For animal use only

# INACTIVATED RIFT VALLEY FEVER VACCINE FOR CATTLE, SHEEP AND GOATS

Reg. No. G 1349 (Act 36/1947) Namibia: NSR 0966

Formalinised Rift Valley fever virus with aluminium hydroxide gel as adjuvant for the prophylactic immunisation of cattle, sheep and goats against Rift Valley fever.

**Store the vaccine at a temperature of 4 °C to 8 °C, in a refrigerator. Do not use the vaccine after the expiry date printed on the bottle.**

## RECOMMENDATIONS FOR USE

Susceptible animals can be immunised at any age irrespective of the stage of pregnancy and lactation. Calves and lambs from immune animals can only be effectively immunised after the age of six months. Annual vaccination is recommended and it is advisable to immunise in the late winter or early spring.

## WARNINGS

**Do not slaughter animals for human consumption within 7 days of vaccination. Vaccinate healthy animals only. Keep out of reach of children, uninformed persons and animals. Although this product has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.**

## DIRECTIONS FOR USE

**Use only as directed.**

Sterilise syringes and needles by boiling in water for at least 15 minutes. Do not use disinfectants or methylated spirits for sterilising either syringes or needles. Use a separate sterile needle for each animal. Shake the bottle well each time before use. Avoid exposure to high temperatures and direct sunlight.

## DOSAGE:

**Cattle: 2 ml subcutaneously**  
**Sheep and goats: 1 ml subcutaneously**

## EFFECTS OF THE VACCINE

Optimal protection is conferred when a booster is given 3 - 4 weeks after initial vaccination but cannot be guaranteed in all animals. Thereafter vaccinate annually.

## PACKING

Available in bottles of 100 ml.

## Registration holder:

Onderstepoort Biological Products SOC Ltd, Co. Reg. No. 2000/022686/06  
Private Bag X07, Onderstepoort, 0110. Tel: +27 (0) 12 522 1500, Fax: +27 (0) 12 522 1591

Made in South Africa

Edition 4

P2146

GEÏNAKTIVEERDE  
**SLENKDALKOORS**  
ENTSTOF VIR BEESTE, SKAPE EN BOKKE  
Reg. Nr. G 1349 (Wet 36/1947) Namibië: NSR 0966

Geformaliseerde Slenkdalkoorsvirus met aluminiumhidroksied gel as adjuvant vir die voorbehoedende inenting van beeste, skape en bokke teen Slenkdalkoorsiekte.

**Bewaar die entstof by 'n temperatuur van 4 °C tot 8 °C, in 'n yskas. Moet nie die entstof na die vervaldatum wat op die bottel gedruk is gebruik nie.**

#### AANBEVELINGS VIR GEBRUIK

Vatbare diere kan op enige ouderdom en ongeag die stadium van dragtigheid of laktasie ingeënt word. Kalwers of lamms van geïmmuniseerde diere kan slegs doeltreffend ingeënt word na die ouderdom van ses maande. Jaarlikse inenting word aanbeveel en dit is wenslik om gedurende laat winter of vroeë lente te ent.

#### WAARSKUWINGS

Moet nie diere binne 7 dae na inenting vir menslike verbruik slag nie. Slegs gesonde diere moet ingeënt word. Hou buite bereik van kinders, oningeligte persone en diere. Alhoewel hierdie produk breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

#### GEBRUIKSAANWYSINGS

**Gebruik slegs soos voorgeskryf.**

Steriliseer spuite en naalde deur dit vir ten minste 15 minute in water te kook. Moet nie ontsmettingsmiddels of brandspiritus gebruik om spuite en naalde te steriliseer nie. Gebruik 'n afsonderlike steriele naald vir elke dier. Skud die bottel goed voor gebruik. Vermoë blootstelling van die entstof aan hoë temperature en direkte sonlig gedurende inenting.

#### DOSIS:

Beeste: 2 ml onderhuids  
Skape en bokke: 1 ml onderhuids

#### UITWERKING VAN DIE ENTSTOF

Optimale beskerming word verkry met 'n skraagdosie 3 - 4 weke na aanvanklike inenting maar immuniteit kan nie in alle diere gewaarborg word met jaarlikse herinenting nie.

#### VERPAKKING

Beskikbaar in bottels van 100 ml.

#### Registrasiehouer:

Onderstepoort Biologiese Produkte MSB Bpk, Mpy. Reg. Nr. 2000/022686/06  
Privaatsak X07, Onderstepoort, 0110. Tel: +27 (0) 12 522 1500, Faks: +27 (0) 12 522 1591